

163853

Page 1

N900040100

Setup Start *NS1*

Stop *NS2*

8

8

Run Start *NR1*

17 Tooling:

Date:

Stop ***NR2***

QC: _____ Date: _____ SPC (Y/N): _____

Date:

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval				
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter		FAULT CATEGORY		☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes		☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center		☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence	
		☐ OTHER : _____									

Work Order ID 163853***163853***

Page 2

Item ID: D2892-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Support

Start Date: 7/13/2017 Start Qty: 8.00

8

Cust Item ID:

Required Date: 7/21/2017 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							
130									
HandFXtube	Memo	0.16							
Hand Finishing Crosstubes	Per note 8 on page 1 of dwg D2892, Prep inner concave surface of support and apply 3M Scotch-Weld as per dwg. 24h of cure time								
140	QC3- Inspect Part Finish	0.00							
140									
QC	Memo	0.08							
Quality Control									
170	Identify as per dwg & Stock Location: _____	0.00							
170									
Packaging	Memo	0.08							
Packaging	LOCATION : LG050								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Work Order ID 163853***163853***

Page 3

Monday, July 10, 2017 11:59:49 AM

Item ID: D2892-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Support

Start Date: 7/13/2017 Start Qty: 8.00

8

Cust Item ID:

Required Date: 7/21/2017 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.80

Quality Control

17/9/5
U 170829

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Monday, July 10, 2017 11:59:47 AM

Page 1

Work Order ID: 163853

163853

Parent Item: D2892-1

D2892-1

Parent Item Name: Support

Start Date: 7/13/2017

Required Date: 7/21/2017

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP C02.11.26Added P/O KJ
 IPP D 08.03.19 Re-format EC verified by: DD IPP Rev:E
 11.08.04 as per dwg rev.B DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
DSK077		Manufactured	No			110	Each	8.0000	0.5	4			
DSK077									**				
D2892-1 Turning Detail													
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				MAT060		8							
				160605		2							
				161600		6							

DAS
39
9-89

4 **17-07-27**

2
2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By																																																									
2017 2018 2019								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

DART AEROSPACE LTD		Work Order: 163853
Description: Ø2.500 Support		Part Number: D2892-1
Inspection Dwg: D2892	Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
HAAS Section								
AA	0.115	0.150		.133	.134	.134	.134	.135
AB	0.290	0.310		.305	.305	.305	.305	.305
AC	0.040	0.060		.048	.050	.051	.051	.052
AD	0.115	0.150		.125	.125	.126	.126	.127
AE	0.240	0.260		.250	.250	.250	.250	.250
AF	0.188	0.193		.191	.191	.191	.191	.191
AG	0.240	0.260		.250	.250	.250	.250	.250
AH	1.116	1.156		1.144	1.145	1.138	1.140	1.136
AI	0.454	0.474		.462	.462	.463	.464	.464
AJ	0.240	0.260		.250	.250	.250	.250	.250
AK	0.053	0.073		.063	.063	.063	.063	.063
AL	0.257	0.262		.262	.262	.262	.262	.262
AM	1.663	1.683		1.679	1.679	1.676	1.676	1.678
AN	0.053	0.073		.063	.063	.063	.063	.063
AO	0.022	0.042		.032	.032	.032	.032	.032
AP	2.779	2.789		2.784	2.784	2.784	2.784	2.784
AQ								
AR								
AS								
AT								
Accept/Reject								

Measured by: DAS 39	Date: 17-07-28
Audited by: DAS 14	Date: 17/07/28
Preliminary Approval: DAS 9-89	Date:

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	08.04.21	Reformat	KJ/JLM	
C	12.01.31	Dwg Rev updated	KJ	
D	13.05.22	Dimensions updated	KJ	

DART AEROSPACE LTD		Work Order: 163 853
Description: Ø2.500 Support		Part Number: D2892-1
Inspection Dwg: D2892	Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	6	7	8	4	5
HAAS Section								
AA	0.115	0.150		.134	.134	.134		
AB	0.290	0.310		.305	.305	.305		
AC	0.040	0.060		.051	.050	.050		
AD	0.115	0.150		.127	.126	.126		
AE	0.240	0.260		.250	.250	.250		
AF	0.188	0.193		.191	.191	.191		
AG	0.240	0.260		.250	.250	.250		
AH	1.116	1.156		1.140	1.135	1.136		
AI	0.454	0.474		.464	.462	.462		
AJ	0.240	0.260		.250	.250	.250		
AK	0.053	0.073		.063	.063	.063		
AL	0.257	0.262		.262	.262	.262		
AM	1.663	1.683		1.676	1.6745	1.675		
AN	0.053	0.073		.063	.063	.063		
AO	0.022	0.042		.032	.032	.032		
AP	2.779	2.789		2.784	2.784	2.784		
AQ								
AR								
AS								
AT								
Accept/Reject								

Measured by: DAS 39		Date: 17-07-28
Audited by: 9-89		Date: 17/07/28
Preliminary Approval: DAS 14		Date:
9-89		

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	08.04.21	Reformat	KJ/JLM	
C	12.01.31	Dwg Rev updated	KJ	
D	13.05.22	Dimensions updated	KJ	

NOTES:

1) MATERIAL: 17-4 PH STAINLESS STEEL, H900 OR H925 CONDITION
MIN UTS = 170 KSI (38 HRC)
(REF DART SPEC. D6104)

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 (REF. X.XXX = ± 0.010) UNLESS OTHERWISE NOTED


4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX


6) IDENTIFICATION: DART LOGO (PER DART SUPPLIED GRAPHIC) AND PART NUMBER IN THIS AREA WITH 0.125 HIGH LETTERING
0.010-0.020 DEEP, PER DART QSI 044 6.3.

7) WEIGHT: 0.41 lb


8) FOR THE ENTIRE INNER CONCAVE SURFACE:
ABRADE SURFACE WITH 400-GRIT SANDPAPER. REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY 0.03" TO 0.05" THICK LAYER OF 3M SCOTCH-WELD 2216 B/A ADHESIVE TO MATING SURFACE OF SUPPORT. ALLOW TO CURE FOR 24 HOURS.




RELEASED
2011-07-28



SECTION A-A



D2892-1 SUPPORT



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 163853-1A

JUL 10 2017

B	RMV FINISH, ADD 3M 2216, ADD H925 MAT'L OPTION, UPDATE TOLERANCE (ZIN D5-1,B5-1,B6-1)	CP	11.07.15
A	NEW ISSUE	CP	00.11.17
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	11.07.15		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D2892 REV. B SHEET 1 OF 1 TITLE Ø2.500 SUPPORT SCALE NTS COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR THE PURPOSES FOR WHICH IT WAS DESIGNED AND NO OTHER REUSE OR REPRODUCTION IS PERMITTED WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			